Center Independent Research & Development: GSFC IRAD

Compact Ka-band Feed Design Validation and Shaped Reflector Design for ISS and Ka-band RF Comm Demonstration for future Earth



Observing Missions
Completed Technology Project (2012 - 2015)


Project Introduction

The objectives of this proposal include building an antenna feed for Ka-band reflector antennas and to re-design an earth-shaped reflector antenna prototype for an orbit altitude of 424 km for a possible demonstration on the International Space Station (ISS). By the end of the first year, a compact wideband antenna feed operating at NASA's Ka-band frequency allocation would be built and tested and the new reflector design will be accomplished.

This work brings an innovative solution by providing an Earth coverage antenna (ECA) for LEO missions operating at Ka-band frequencies, which was previously an open question and something that has never been developed. An ECA will be the most appropriate solution for missions wanting to go to higher data rates than currently provided by X-band comm systems, but with ultra-stable platform requirements. For the ISS specific application, the reflector will have to be slightly different than it would be for a ECA for an Earth observing satellite, however this effort will demonstrate Goddard Space Flight Center capabilities in designing this type of antenna for space applications

Anticipated Benefits

This IRAD helps mature one of the possible antenna options that could be used for Earth observing (EO) missions at low Earth orbits (LEO) that cannot afford a high power RF transmitter onboard.



Measured Radiation Pattern of the Antenna

Table of Contents

Project Introduction		
Anticipated Benefits		
Primary U.S. Work Locations		
and Key Partners	2	
Project Transitions		
Organizational Responsibility		
Project Management		
Technology Maturity (TRL)		
Images	3	
Links	3	
Project Website:	3	
Technology Areas	3	



Center Independent Research & Development: GSFC IRAD

Compact Ka-band Feed Design Validation and Shaped Reflector
Design for ISS and Ka-band RF Comm Demonstration for future Earth
Observing Missions



Observing Missions
Completed Technology Project (2012 - 2015)

Primary U.S. Work Locations and Key Partners



Organizations Performing Work	Role	Туре	Location
Goddard Space Flight Center(GSFC)	Lead Organization	NASA Center	Greenbelt, Maryland
MEI Technologies	Supporting Organization	Industry Small Disadvantaged Business (SDB), Veteran- Owned Small Business (VOSB)	

Primary U.S. Work Locations

Maryland

Project Transitions



October 2012: Project Start

Organizational Responsibility

Responsible Mission Directorate:

Mission Support Directorate (MSD)

Lead Center / Facility:

Goddard Space Flight Center (GSFC)

Responsible Program:

Center Independent Research & Development: GSFC IRAD

Project Management

Program Manager:

Peter M Hughes


Project Manager:

Wesley A Powell

Principal Investigator:

Victor J Marrero Fontanez

Technology Maturity (TRL)





Center Independent Research & Development: GSFC IRAD

Compact Ka-band Feed Design Validation and Shaped Reflector Design for ISS and Ka-band RF Comm Demonstration for future Earth




Observing Missions
Completed Technology Project (2012 - 2015)



September 2015: Closed out

Closeout Summary: The purpose of the Goddard Space Flight Center's Internal Research and Development (IRAD) program is to support new technology develo pment and to address scientific challenges. Each year, Principal Investigators (P Is) submit IRAD proposals and compete for funding for their development projec ts. Goddard's IRAD program supports eight Lines of Business: Astrophysics; Co mmunications and Navigation; Cross-Cutting Technology and Capabilities; Earth Science; Heliophysics; Planetary Science; Science Small Satellites Technology; a nd Suborbital Platforms and Range Services. Task progress is evaluated twice a year at the Mid-term IRAD review and the end of the year. When the funding pe riod has ended, the PIs compete again for IRAD funding or seek new sources of development and research funding or agree to external partnerships and collabo rations. In some cases, when the development work has reached the appropriat e Technology Readiness Level (TRL) level, the product is integrated into an actu al NASA mission or used to support other government agencies. The technology may also be licensed out to the industry. The completion of a project does not n ecessarily indicate that the development work has stopped. The work could pot entially continue in the future as a follow-on IRAD; or used in collaboration or pa rtnership with Academia, Industry and other Government Agencies. If you are in terested in partnering with NASA, see the TechPort Partnerships documentation available on the TechPort Help tab. http://techport.nasa.gov/help

Images



Compact Ka-band Feed
Design Validation and
Shaped Reflector Design
Measured Radiation Pattern of the
Antenna
(https://techport.nasa.gov/imag

e/36873)

Links

GSC-16946-1 (https://ntts.arc.nasa.gov/app/)

Project Website:

http://sciences.gsfc.nasa.gov/sed/

Tech®Port Printed on 12/07/2022 11:49 PM UTC

Technology Areas

Primary:

TX05 Communications,
 Navigation, and Orbital
 Debris Tracking and
 Characterization Systems

 TX05.2 Radio Frequency

☐ TX05.2.6 Innovative